

Date of Plan: \_\_\_\_\_

## Diabetes Medical Management Plan

**Effective Dates:** \_\_\_\_\_

This plan should be completed by the student's personal health care team and parents/guardian. It should be reviewed with relevant school staff and copies should be kept in a place that is easily accessed by the school nurse, trained diabetes personnel, and other authorized personnel.

Student's Name: \_\_\_\_\_

Date of Birth: \_\_\_\_\_ Date of Diabetes Diagnosis: \_\_\_\_\_

Grade: \_\_\_\_\_ Homeroom Teacher: \_\_\_\_\_

Physical Condition: ☐ Diabetes type 1 ☐ Diabetes type 2

### **Contact Information**

Mother/Guardian: \_\_\_\_\_

Address : \_\_\_\_\_

Telephone: Home \_\_\_\_\_ Work \_\_\_\_\_ Cell \_\_\_\_\_

Father/Guardian: \_\_\_\_\_

Address : \_\_\_\_\_

Telephone: Home \_\_\_\_\_ Work \_\_\_\_\_ Cell \_\_\_\_\_

Student's Doctor/Health Care Provider:

Name: \_\_\_\_\_

Address : \_\_\_\_\_

Telephone: \_\_\_\_\_ Emergency Number: \_\_\_\_\_

Other Emergency Contacts:

Name: \_\_\_\_\_

Relationship: \_\_\_\_\_

Telephone: Home \_\_\_\_\_ Work \_\_\_\_\_ Cell \_\_\_\_\_

Notify parents/guardian or emergency contact in the following situations:

---

---

---

### **Blood Glucose Monitoring**

Target range for blood glucose is ☐ 70-150 ☐ 70-180 ☐ Other \_\_\_\_\_

Usual times to check blood glucose \_\_\_\_\_

Times to do extra blood glucose check (check *all* that *apply*)

☐ before exercise

☐ after exercise

☐ when student exhibits symptoms of hyperglycemia

☐ when student exhibits symptoms of hypoglycemia

☐ other (explain): \_\_\_\_\_

Can student perform own blood glucose check? ☐ Yes ☐ No

Exceptions: \_\_\_\_\_

Type of blood glucose meter student uses: \_\_\_\_\_

### **Insulin**

#### **Usual Lunchtime Dose**

Base dose of Humalog/Novolog/Regular insulin at lunch (circle type insulin used) is \_\_\_\_\_ units or does flexible dosing using \_\_\_\_\_ units/ \_\_\_\_\_ grams carbohydrate.

Use of other insulin at lunch: (circle type of insulin used): intermediate/NPH/lente \_\_\_\_\_ units or basal/Lantus/Ultralente \_\_\_\_\_ units.

#### **Insulin Correction Doses**

Parental authorization should be obtained before administering a correction dose for high blood glucose levels. ☐ Yes ☐ No

\_\_\_\_\_ units if blood glucose is \_\_\_\_\_ to \_\_\_\_\_ mg/dl

\_\_\_\_\_ units if blood glucose is \_\_\_\_\_ to \_\_\_\_\_ mg/dl

\_\_\_\_\_ units if blood glucose is \_\_\_\_\_ to \_\_\_\_\_ mg/dl

\_\_\_\_\_ units if blood glucose is \_\_\_\_\_ to \_\_\_\_\_ mg/dl

\_\_\_\_\_ units if blood glucose is \_\_\_\_\_ to \_\_\_\_\_ mg/dl

Can student give own injections? ☐ Yes ☐ No

Can student determine correct amount of insulin? ☐ Yes ☐ No

Can student draw correct dose of insulin? ☐ Yes ☐ No

Parents are authorized to adjust the insulin dosage under the following circumstances:

\_\_\_\_\_  
\_\_\_\_\_

### **For Students With Insulin Pumps**

Type of pump: \_\_\_\_\_

Basal rates: \_\_\_\_\_ 12am to \_\_\_\_\_

\_\_\_\_\_ to \_\_\_\_\_

\_\_\_\_\_ to \_\_\_\_\_

Type of insulin in pump: \_\_\_\_\_

Type of infusion set: \_\_\_\_\_

Insulin/carbohydrate ratio: \_\_\_\_\_ Correction factor: \_\_\_\_\_

*Student Pump Abilities/Skills:*

Count carbohydrates  
Bolus correct amount for carbohydrates consumed  
Calculate and administer corrective bolus  
Calculate and set basal profiles  
Calculate and set temporary basal rate  
Disconnect pump  
Reconnect pump at infusion set  
Prepare reservoir and tubing  
Insert infusion set  
Troubleshoot alarms and malfunctions

*Needs Assistance*

☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No  
☐ Yes ☐ No

**For Students Taking Oral Diabetes Medications**

Type of medication: \_\_\_\_\_ Timing: \_\_\_\_\_  
Other medications: \_\_\_\_\_ Timing: \_\_\_\_\_

**Meals and Snacks Eaten at School**

Is student independent in carbohydrate calculations and management? ☐ Yes ☐ No

<i>Meal/Snack</i>	<i>Time</i>	<i>Food content/amount</i>
Breakfast	_____	_____
Mid-morning snack	_____	_____
Lunch	_____	_____
Mid-afternoon snack	_____	_____
Dinner	_____	_____

Snack before exercise? ☐ Yes ☐ No

Snack after exercise? ☐ Yes ☐ No

Other times to give snacks and content/amount: \_\_\_\_\_

Preferred snack foods: \_\_\_\_\_

Foods to avoid, if any: \_\_\_\_\_

Instructions for when food is provided to the class (e.g., as part of a class party or food sampling event): \_\_\_\_\_

**Exercise and Sports**

A fast-acting carbohydrate such as \_\_\_\_\_ should be available at the site of exercise or sports.

Restrictions on activity, if any: \_\_\_\_\_

Student should not exercise if blood glucose level is below \_\_\_\_\_ mg/dl or above \_\_\_\_\_ mg/dl or if moderate to large urine ketones are present.

**Hypoglycemia (Low Blood Sugar)**

Usual symptom of hypoglycemia: \_\_\_\_\_

Treatment of hypoglycemia: \_\_\_\_\_

Glucagon should be given if the student is unconscious, having a seizure (convulsion), or unable to swallow.

Route \_\_\_\_\_, Dosage \_\_\_\_\_, site for glucagon injection: ☐ arm ☐ thigh ☐ other

If glucagon is required, administer it promptly. Then, call 911 (or other emergency assistance) and the parents/guardian.

**Hyperglycemia (High Blood Sugar)**

Usual symptom of hyperglycemia: \_\_\_\_\_

Treatment of hyperglycemia: \_\_\_\_\_

Urine should be checked for ketones when blood glucose levels are above \_\_\_\_\_ mg/dl.

Treatment for ketones: \_\_\_\_\_

**Supplies to be Kept at School**

☐ Blood glucose meter, blood glucose test strips, batteries for meter

☐ Lancet device, lancets, gloves, etc.

☐ Urine ketone strips

☐ Insulin vials and syringes

☐ Insulin pump and supplies

☐ Insulin pen, pen needles, insulin cartridges

☐ Fast-acting source of glucose

☐ Carbohydrate containing snack

☐ Glucagon emergency kit

**Signatures**

**This Diabetes Medical Management Plan has been approved by:**

\_\_\_\_\_  
Student's Physician/Health Care Provider

\_\_\_\_\_  
Date

I give permission to the school nurse, trained diabetes personnel, and other designated staff members of \_\_\_\_\_ school to perform and carry out the diabetes care task as outlined by \_\_\_\_\_'s *Diabetes Medical Management Plan*. I also consent to the release of the information contained in this Diabetes Medical Management Plan to all staff members and other adults who have custodial care of my child and who may need to know this information to maintain my child's health and safety.

**Acknowledged and received by:**

\_\_\_\_\_  
Student's Parent/Guardian

\_\_\_\_\_  
Date

\_\_\_\_\_  
Student's Parent/Guardian

\_\_\_\_\_  
Date

# Quick Reference Emergency Plan for a Student with Diabetes

## Hypoglycemia (Low Blood Sugar)

Photo

Student's Name \_\_\_\_\_

Grade/Teacher \_\_\_\_\_

Date of Plan \_\_\_\_\_

Emergency Contact Information:

Mother/Guardian \_\_\_\_\_

Father/Guardian \_\_\_\_\_

Home phone \_\_\_\_\_

Work phone \_\_\_\_\_

Cell \_\_\_\_\_

Home phone \_\_\_\_\_


Work phone \_\_\_\_\_

Cell \_\_\_\_\_

School Nurse/Trained Diabetes Personnel \_\_\_\_\_

Contact Number(s) \_\_\_\_\_

Never send a child with suspected low blood sugar anywhere alone.



Helping the Student with Diabetes Succeed 53

# Quick Reference Emergency Plan for a Student with Diabetes

## Hyperglycemia (High Blood Sugar)

Photo

Student's Name \_\_\_\_\_

Grade/Teacher \_\_\_\_\_

Date of Plan \_\_\_\_\_

Emergency Contact Information:

Mother/Guardian \_\_\_\_\_

Father/Guardian \_\_\_\_\_

Home phone \_\_\_\_\_

Work phone \_\_\_\_\_

Cell \_\_\_\_\_

Home phone \_\_\_\_\_

Work phone \_\_\_\_\_

Cell \_\_\_\_\_

School Nurse/Trained Diabetes Personnel \_\_\_\_\_

Contact Number(s) \_\_\_\_\_

